

From the  Anvil<sup>®</sup>

[www.fromtheanvil.co.uk](http://www.fromtheanvil.co.uk)

## SPECIALIST MANUFACTURERS OF TRADITIONAL IRONMONGERY



## Door & Window Furniture - May 2019

# INTRODUCTION

---

Our From The Anvil Door & Window Espagnolette Brochure encompasses an extensive collection of Front Door & Window Furniture in a range of beautiful finishes. The majority of our products are available in both window & door options, allowing complete consistency throughout your property. Our full product range is available to view online and includes internal lever handles, mortice knobs, cabinet fittings and much more - [www.fromtheanvil.co.uk](http://www.fromtheanvil.co.uk).

We have two unique collections throughout the brochure with various manufacturing methods that result in precision and an unmistakable quality.

- The Blacksmith Collection includes the Black and Pewter finishes. This range is handforged from a mild steel base material. This gives the products unrivalled strength, weight and detail.
- The Period Collection includes Polished Brass, Aged Brass, Polished Nickel, Polished Chrome, Satin Chrome & Aged Bronze finishes. This range is hotforged or gravity cast and hand-finished.

Unique selling points:

- Next day availability on the entire range.
- No minimum order quantities.
- Comprehensive matching suites (door furniture to match window furniture).
- Fully furnished range available (if consistency across whole property is desired).
- Suitable for use on all uPVC, Composite, Aluminium & Timber profiles.
- Traditional stylings and aesthetics but with precision and functionality to work with modern systems.
- Fully reversible sprung lever espags (not available from other traditional manufacturers).
- 5-year finish & mechanical guarantee on every product.
- All products are compatible with 99% of modern locks.

# CONTENTS

---

## LEVER ESPAGNOLETTE HANDLES

---

Regency Slimline Sprung Lever Espag. Lock Set	page 8
Avon Slimline Sprung Lever Espag. Lock Set	page 9
Cottage Slimline Sprung Lever Espag. Lock Set	page 10
Monkeytail Slimline Sprung Lever Espag. Lock Set	page 11
Monkeytail Unsprung Lever Espag. Lock Set	page 12
Monkeytail Narrow Unsprung Lever Espag. Lock Sets	page 13-14
Curved Unsprung Lever Espag. Lock Set	page 15
Curved Narrow Unsprung Lever Espag. Lock Sets	page 16-17
Reeded Slimline Sprung Lever Espag. Lock Set	page 18
Newbury Slimline Sprung Lever Espag. Lock Set	page 19
Hinton Slimline Sprung Lever Espag. Lock Set	page 20

---

## FRONT DOOR FURNITURE

---

Octagonal Centre Door Knob	page 22
Prestbury Centre Door Knob	page 23
Art Deco Centre Door Knob	page 24
Round Centre Door Knob	page 25
Regency Door Knocker	page 26
Ring Door Knocker	page 27
Pear Shaped Door Knocker	page 28
Slimline Art Deco Door Knocker	page 29
Doctor's Door Knocker	page 30
Traditional Letterbox	page 31
Regency Concealed Escutcheon	page 32
Euro Door Pull Back-to-Back Fixings	page 33

## WINDOW ESPAGNOLETTES

---

Avon Espag. Window Handle	page 35
Monkeytail Espag. Window Handle	page 36
Peardrop Espag. Window Handle	page 37
Teardrop Espag. Window Handle	page 38
Reeded Espag. Window Handle	page 39
Newbury Espag. Window Handle	page 40
Hinton Espag. Window Handle	page 41

---

## WINDOW STAYS

---

Avon Window Stays	page 44-45
Monkeytail Window Stays	page 46
Peardrop Window Stays	page 47
Reeded Window Stays	page 48
Newbury Window Stays	page 49
Hinton Window Stays	page 50

---


## ACCESSORIES

---

Offset Stay Pins	page 52
Cranked Stay Pins	page 53
3" Dummy Butt Hinges	page 54
Standard Split Spindle - 140mm	page 54
M5 Male Bolts - 120mm	page 54


# FINISHES

---




## Black Finish - (For Internal or External Use)

Our black finish is a popular choice in traditional settings, it has a subtle sheen and offers a bold contrast on both stained and painted timber alike. It is baked in a high-temperature oven giving it durable corrosion resistant properties.



## Pewter Patina Finish - (For Internal or External Use)

Our pewter patina finish is forged from a durable base of steel and is a fine example of how our unique manufacturing techniques add further detail to the natural charm of metals. The process by which the contrasting textures of this finish are created results in a rich appearance that sits well in characterful, rustic homes but also offers a contemporary alternative in more modern settings.



## Polished Brass Finish - (For Internal or External Use)

Made from solid unlacquered brass, this finish is both classic and simplistic and offers great possibilities for stately and period dwellings alike, particularly where a very traditional look is desired. When fully polished this finish has a depth of reflection. However, as the product is unlacquered this can also be left to age naturally, which over time will create a beautifully historic finish.



## Aged Brass Finish - (For Internal or External Use)

Our aged brass products are made from solid unlacquered brass, offering an abundance of character and charm. This finish is perfectly suited to period dwellings and will create a statement throughout. Due to the accelerated ageing process this finish undergoes, a darker patina gathers around the edges and recesses to contrast beautifully with the re-polished surface areas.





#### Polished Nickel Finish - (For Internal or External Use)

Our polished nickel finish is a high-quality plating applied to solid unlacquered brass. This finish is bright, reflective and extremely versatile. It is very well suited to modern properties but equally matched to traditional settings due to the warm, calm tones. As our nickel finish is made using only one plating on brass, it offers a subtle warmth that cannot be replicated by more modern chrome finishes.




#### Polished Chrome Finish - (For Internal or External Use)

Our polished chrome products are made from a base metal of solid brass with a high quality chrome plating applied to the surface. A high sheen finish that is most commonly used in contemporary settings. This finish offers bright, bold and reflective qualities which work best if a clean, cool look is desired.



#### Satin Chrome Finish - (For Internal or External Use)

Satin chrome is created from a base metal of solid brass with a quality chrome plating applied to its surface. Satin chrome offers an understated alternative to polished chrome. Its blue traces and less reflective appearance make this finish popular with those who wish to elect a matt finish.



#### Aged Bronze Finish - (For Internal or External Use)

Manufactured from solid unlacquered bronze containing a minimum of 85% copper, this finish can be described as a 'living finish' that adapts to its surroundings. This finish starts off extremely dark with a rich, matt look, becoming lighter over time with use and oxidation. When copper tones start to wear through the darker layers, it achieves a contrasting warmth and a depth of character.









## LEVER ESPAGNOLETTE HANDLES

Reeded Slimline Sprung Lever  
Espag Lock Set - 33305  
Polished Chrome - Page 18

# REGENCY SLIMLINE SPRUNG LEVER ESPAG. LOCK SET

**480**  
hours  
corrosion  
resistance

**5**  
year  
finish  
guarantee

**5**  
year  
mechanical  
guarantee



Pewter  
External View




Black  
Internal View

75

- Fitted with a double-spring mechanism to allow the upward locking movement and to also keep the lever horizontal.
- Bolt-through fixings from internal side only to provide added security.
- Supplied with two split spindles (110mm & 140mm) for door thicknesses up to 70mm.
- Slimline backplate allows for fitting on all timber, uPVC, aluminium and composite doors.
- Standard fixings and centres to work with all modern locking mechanisms.

**92061**  
BLACK

**92062**  
PEWTER





480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee

# AVON SLIMLINE SPRUNG LEVER ESPAG. LOCK SET



Black  
External View



Polished Nickel  
Internal View



- Fitted with a double-spring mechanism to allow the upward locking movement and to also keep the lever horizontal.
- Bolt-through fixings from internal side only to provide added security.
- Supplied with two split spindles (110mm & 140mm) for door thicknesses up to 70mm.
- Slimline backplate allows for fitting on all timber, uPVC, aluminium and composite doors.
- Standard fixings and centres to work with all modern locking mechanisms.

● 33033

BLACK

● 33034

PEWTER

● 90354


AGED  
BRASS

● 90356

POLISHED  
NICKEL

● 90355

POLISHED  
CHROME



# COTTAGE SLIMLINE SPRUNG LEVER ESPAG. LOCK SET

**480**  
hours  
corrosion  
resistance

**5**  
year  
finish  
guarantee


**5**  
year  
mechanical  
guarantee



Pewter  
External View



Black  
Internal View



- Fitted with a double-spring mechanism to allow the upward locking movement and to also keep the lever horizontal.
- Bolt-through fixings from internal side only to provide added security.
- Supplied with two split spindles (110mm & 140mm) for door thicknesses up to 70mm.
- Slimline backplate allows for fitting on all timber, uPVC, aluminium and composite doors.
- Standard fixings and centres to work with all modern locking mechanisms.

**33035**  
BLACK

**33036**  
PEWTER

480  
hours  
corrosion  
resistance


5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee

# MONKEYTAIL SLIMLINE SPRUNG LEVER ESPAG. LOCK SET



- Levers are handed - from external side (no fixing holes), lever pointing to the left = LH set (as above photo).
- Fitted with a double-spring mechanism to allow the upward locking movement and to also keep the lever horizontal.
- Bolt-through fixings from internal side only to provide added security.
- Supplied with two split spindles (110mm & 140mm) for door thicknesses up to 70mm.
- Slimline backplate allows for fitting on all timber, uPVC, aluminium and composite doors.
- Standard fixings and centres to work with all modern locking mechanisms.



● 33037L  
(LEFT HANDED)  
BLACK

● 33037R  
(RIGHT HANDED)  
BLACK

● 33038L  
(LEFT HANDED)  
PEWTER

● 33038R  
(RIGHT HANDED)  
PEWTER



# MONKEYTAIL UNSPRUNG LEVER ESPAG. LOCK SET

480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee


5  
year  
mechanical  
guarantee



Right Hand Pewter  
External View



Right Hand Black  
Internal View



- Levers are handed - from external side (no fixing holes), lever pointing to the right - RH set (as above photo).
- Unsprung to allow the upward locking movement.
- Bolt-through fixings from internal side only to provide added security.
- Supplied with two split spindles (110mm & 140mm) for door thicknesses up to 85mm.
- Compatible with timber, uPVC, aluminium and composite doors.
- Standard fixings and centres to work with all modern locking mechanisms.

● 33940  
(LEFT HANDED)  
BLACK

● 33941  
(RIGHT HANDED)  
BLACK

● 33943  
(LEFT HANDED)  
PEWTER

● 33944  
(RIGHT HANDED)  
PEWTER

480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee


## MONKEYTAIL NARROW UNSPRUNG LEVER ESPAG. LOCK SET - 2 HOLES

Left Hand Black  
External View



Left Hand Pewter  
Internal View

- Levers are handed - from external side (no fixing holes), lever pointing to the left - LH set (as above photo).
- Unsprung to allow the upward locking movement.
- Bolt-through fixings from internal side only to provide added security.
- Supplied with a 120mm split spindle for door thicknesses up to 90mm.
- Ultra-narrow backplate to fit any kind of door profile - compatible with timber, uPVC, aluminium and composite doors.
- Standard fixings and centres to work with all modern locking mechanisms.



● 91773  
(LEFT HANDED)  
BLACK

● 91774  
(RIGHT HANDED)  
BLACK

● 91775  
(LEFT HANDED)  
PEWTER

● 91776  
(RIGHT HANDED)  
PEWTER

# MONKEYTAIL NARROW UNSPRUNG LEVER ESPAG. LOCK SET - 3 HOLES

**480**  
hours  
corrosion  
resistance

**5**  
year  
finish  
guarantee

**5**  
year  
mechanical  
guarantee




Right Hand Pewter  
External View



Right Hand Black  
Internal View

57



- Levers are handed - from external side (no fixing holes), lever pointing to the right - RH set (as above photo).
- Unsprung to allow the upward locking movement.
- Bolt-through fixings from internal side only to provide added security.
- Additional fixing point for increased strength (3 x holes).
- Supplied with a 120mm split spindle for door thicknesses up to 90mm.
- Ultra-narrow backplate to fit any kind of door profile - compatible with all timber, uPVC, aluminium and composite doors.
- Standard fixings and centres to work with all modern locking mechanisms.

● **90346**

(LEFT HANDED)  
BLACK

● **90347**

(RIGHT HANDED)  
BLACK

● **90348**

(LEFT HANDED)  
PEWTER

● **90349**

(RIGHT HANDED)  
PEWTER

480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee

## CURVED UNSPRUNG LEVER ESPAG. LOCK SET




Left Hand Black  
External View



Left Hand Pewter  
Internal View



- Levers are handed - from external side (no fixing holes), lever pointing to the left - LH set (as above photo).
- Unsprung to allow the upward locking movement.
- Bolt-through fixings from internal side only to provide added security.
- Supplied with two split spindles (110mm & 140mm) for door thicknesses up to 85mm.
- Compatible with all timber, uPVC, aluminium and composite doors.
- Standard fixings and centres to work with all modern locking mechanisms.



● **33933**  
(LEFT HANDED)  
BLACK

● **33934**  
(RIGHT HANDED)  
BLACK

● **33909**  
(LEFT HANDED)  
PEWTER

● **33910**  
(RIGHT HANDED)  
PEWTER



# CURVED NARROW UNSPRUNG LEVER ESPAG. LOCK SET - 2 HOLES

**480**  
hours  
corrosion  
resistance

**5**  
year  
finish  
guarantee


**5**  
year  
mechanical  
guarantee



Right Hand Pewter  
External View



Right Hand Black  
Internal View



- Levers are handed - from external side (no fixing holes), lever pointing to the right - RH set (as above photo).
- Unsprung to allow the upward locking movement.
- Bolt-through fixings from internal side only to provide added security.
- Supplied with a 120mm split spindle for door thicknesses up to 90mm.
- Ultra-narrow backplate to fit any kind of door profile - compatible with all timber, uPVC, aluminium and composite doors.
- Standard fixings and centres to work with all modern locking mechanisms.

**33930**  
(LEFT HANDED)  
BLACK

**33932**  
(RIGHT HANDED)  
BLACK

**33929**  
(LEFT HANDED)  
PEWTER

**33931**  
(RIGHT HANDED)  
PEWTER

480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee

## CURVED NARROW UNSPRUNG LEVER ESPAG. LOCK SET - 3 HOLES




Left Hand Pewter  
Internal View



Left Hand Black  
External View



- Levers are handed - from external side (no fixing holes), lever pointing to the left = LH set (as above photo).
- Unsprung to allow the upward locking movement.
- Bolt-through fixings from internal side only to provide added security.
- Additional fixing point for increased strength (3 x holes).
- Supplied with a 120mm split spindle for door thicknesses up to 90mm.
- Ultra-narrow backplate to fit any kind of door profile - compatible with all timber, uPVC, aluminium and composite doors.
- Standard fixings and centres to work with all modern locking mechanisms.



● **91739**  
(LEFT HANDED)  
BLACK

● **91741**  
(RIGHT HANDED)  
BLACK

● **91738**  
(LEFT HANDED)  
PEWTER


● **91740**  
(RIGHT HANDED)  
PEWTER

# REEDED SLIMLINE SPRUNG LEVER ESPAG. LOCK SET

**480**  
hours  
corrosion  
resistance

**5**  
year  
finish  
guarantee


**5**  
year  
mechanical  
guarantee



Aged Bronze  
External View



Polished Nickel  
Internal View



- Fitted with a double-spring mechanism to allow the upward locking movement but to also keep the lever horizontal.
- Bolt-through fixings from internal side to provide added security.
- Supplied with two split spindles (95mm & 125mm) for door thicknesses up to 75mm. Longer spindles & fixings are available, see page 54.
- Slimline backplate allows for fitting on all timber, uPVC, aluminium and composite doors.
- Standard fixings and centres to work with all modern locking mechanisms.

 **33039**  
AGED  
BRASS

 **33316**  
POLISHED  
NICKEL

 **33305**  
POLISHED  
CHROME

 **83952**  
AGED  
BRONZE



480  
hours

corrosion  
resistance

5  
year

finish  
guarantee

5  
year

mechanical  
guarantee

# NEWBURY SLIMLINE SPRUNG LEVER ESPAG. LOCK SET




Polished Chrome  
External View



Aged Brass  
Internal View

- Fitted with a double-spring mechanism to allow the upward locking movement but to also keep the lever horizontal.
- Bolt-through fixings from internal side to provide added security.
- Supplied with two split spindles (95mm & 125mm) for door thicknesses up to 75mm. Longer spindles & fixings are available, see page 54.
- Slimline backplate allows for fitting on all timber, uPVC, aluminium and composite doors.
- Standard fixings and centres to work with all modern locking mechanisms.



91413

AGED  
BRASS



91427

POLISHED  
NICKEL



91420

POLISHED  
CHROME




91434

AGED  
BRONZE

mechanical  
guarantee



Polished Chrome  
Internal View



- Fitted with a double-spring mechanism to allow the upward locking movement but to also keep the lever horizontal.
- Bolt-through fixings from internal side to provide added security.
- Supplied with two split spindles (95mm & 125mm) for door thicknesses up to 75mm. Longer spindles & fixings are available, see page 54.
- Slimline backplate allows for fitting on all timber, uPVC, aluminium and composite doors.
- Standard fixings and centres to work with all modern locking mechanisms.



AGED  
BRONZE



A photograph of a front door and its surrounding architecture. The door is dark grey with vertical fluting, a small window on the left, and a letterbox. It is set within a wooden frame. Above the door is a gabled roof with red tiles and a black downpipe. The wall to the right is made of red brick. The text 'FRONT DOOR FURNITURE' is overlaid in the top right corner.

## FRONT DOOR FURNITURE

Art Deco Door Knocker - 90035  
Pewter Patina - Page 29  
Traditional Letterbox - 91527  
Pewter Patina - Page 31

# OCTAGONAL CENTRE DOOR KNOB

480  
hours  
corrosion  
resistance


5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee



Black

Pewter



- Includes a location pin on the rose to stop any unwanted movement.
- Bolt-through fixing from internal side with an M10 x 90mm Dome Headed Bolt.

● 83779  
BLACK

● 83778  
PEWTER



480  
hours

corrosion  
resistance

5  
year

finish  
guarantee

5  
year

mechanical  
guarantee

## PRESTBURY CENTRE DOOR KNOB



Polished Chrome



Polished Nickel



- Includes a location pin on the rose to stop any unwanted movement.
- Bolt-through fixing from internal side with an M10 x 100mm Threaded Bolt (SS).



83782

AGED  
BRASS



90276

POLISHED  
NICKEL



83783

POLISHED  
CHROME




83959

AGED  
BRONZE





# ART DECO CENTRE DOOR KNOB

<div>480 hours</div> <div>corrosion resistance</div>	<div>5 year</div> <div>finish guarantee</div>	<div>5 year</div> <div>mechanical guarantee</div>
--	---	---



- Includes a location pin on the rose to stop any unwanted movement.
- Bolt-through fixing from internal side with an M8 x 95mm (when cap is fully threaded on) Threaded Bolt (SS).
- Designed to match our Art Deco Door Knocker to create a uniform option for your front door.

 90070	 90069
BLACK	PEWTER

 90071	 90068	 90073	 90072
AGED BRASS	POLISHED NICKEL	POLISHED CHROME	AGED BRONZE

480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee

## ROUND CENTRE DOOR KNOB

Polished Brass



Polished Chrome



- Includes a location pin on the rose to stop any unwanted movement.
- Bolt-through fixing from internal side with an M10 x 100mm Threaded Bolt (SS).

● 83506



BLACK

● 91977

POLISHED  
BRASS

● 91978

POLISHED  
CHROME





# REGENCY DOOR KNOCKER

480  
hours

corrosion  
resistance

5  
year

finish  
guarantee

5  
year


mechanical  
guarantee



Black



Pewter



- Face-fixed to the surface of the door with wood screws.
- Hand forged from mild steel using traditional blacksmith's methods - this gives unrivalled strength, weight and detail.
- Striker included to protect door when in use.
- Designed to match our Regency Slimline Lever Handles to create a uniform option for your front door.

92076

BLACK

45154

PEWTER

480  
hours

corrosion  
resistance

5  
year

finish  
guarantee

5  
year

mechanical  
guarantee

## RING DOOR KNOCKER




Pewter



Black



- Face-fixed to the surface of the door with wood screws.
- Hand forged from mild steel using traditional blacksmith's methods - this gives unrivalled strength, weight and detail.
- Striker included to protect door when in use.



● 33245

BLACK

● 33658

PEWTER

# PEAR SHAPED DOOR KNOCKER

480  
hours

corrosion  
resistance

5  
year

finish  
guarantee

5  
year


mechanical  
guarantee



Pewter



Black



- Face-fixed to the surface of the door with wood screws.
- Hand forged from mild steel using traditional blacksmith's methods - this gives unrivalled strength, weight and detail.
- Striker included to protect door when in use.

33246

BLACK

33611

PEWTER

480  
hours  
corrosion  
resistance


5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee

# SLIMLINE ART DECO DOOR KNOCKER



- Bolt-through fixing from internal side with a 110mm Threaded Bolt (SS).
- Slimline design allows for use on narrow centre mullions.
- Designed to match our Art Deco Centre Door Knob to create a uniform option for your front door.



● 90034

BLACK

● 90035

PEWTER

● 90028

AGED  
BRASS

● 90042

POLISHED  
NICKEL

● 90033

POLISHED  
CHROME

● 90041

AGED  
BRONZE



# DOCTOR'S DOOR KNOCKER

480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee




5  
year  
mechanical  
guarantee



Aged Bronze



Polished Chrome



- Bolt-through fixing from internal side with a 70mm Threaded Bolt.
- Gravity cast from solid unlacquered brass or bronze.
- Striker included to protect door when in use.

90251  
POLISHED  
BRASS

92000  
POLISHED  
NICKEL

90019  
POLISHED  
CHROME

92001  
AGED  
BRONZE

480  
hours

corrosion  
resistance

5  
year

finish  
guarantee

5  
year

mechanical  
guarantee



Polished Chrome




Pewter




## TRADITIONAL LETTERBOX



- Fully weather-proof Letterbox.
- Combines an external letter plate and internal cover with a plastic tunnel (masks the aperture cutting) and draught-reducing brushes and seal.
- Bolt-through fixings from internal side to provide added security.
- Carefully designed to provide a traditional aesthetic whilst offering all modern practicalities and security benefits.
- Suitable for door thicknesses of between 42mm (min) and 72mm (max).



(Minimum Door Thickness) (Maximum Door Thickness)



91526

BLACK

91527

PEWTER

92127

AGED  
BRASS

45443

POLISHED  
NICKEL

45444

POLISHED  
CHROME

# REGENCY CONCEALED ESCUTCHEON


<div>480</div> <div>hours</div> <div>corrosion resistance</div>	<div>5</div> <div>year</div> <div>finish guarantee</div>	<div>5</div> <div>year</div> <div>mechanical guarantee</div>
---	--	--




Polished Nickel



Black



- Face fixed and designed to conceal screws.
- Cover fixed in place by way of grub screws.
- Sold with matching wood screws.



<div>45466</div> <div>BLACK</div>	<div>45467</div> <div>PEWTER</div>
-----------------------------------	------------------------------------

<div>45473</div> <div>AGED BRASS</div>	<div>45474</div> <div>POLISHED NICKEL</div>	<div>45475</div> <div>POLISHED CHROME</div>
--	---	---




480  
hours  
corrosion  
resistance


5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee

# EURO DOOR PULL BACK-TO-BACK FIXINGS



- Bolt-through fixings from internal side to provide added security.
- Suitable for all doors up to a thickness of 64mm.
- Narrow width to suit a wide variety of doors.



90039

BLACK



90040

PEWTER



90065

AGED  
BRASS



90282

POLISHED  
NICKEL



90066

POLISHED  
CHROME



90067

AGED  
BRONZE

## WINDOW ESPAGNOLETTES

480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee


# AVON ESPAG. WINDOW HANDLE



Black



- Narrow backplate for use on slim profile windows.
- Supplied with a 7mm<sup>2</sup> x 40mm fixed spindle to fit all modern espagnolette locking mechanisms.
- Lockable by way of a grub screw with allen key provided.
- Supplied with M5 espag. bolts which can be cut down to size.
- Hand forged from mild steel or solid brass using traditional blacksmith's methods - this gives unrivalled strength, weight and detail.



● 90393

BLACK

● 90394

PEWTER

● 90415

AGED  
BRASS

● 90417

POLISHED  
NICKEL

● 90416

POLISHED  
CHROME



# MONKEYTAIL ESPAG. WINDOW HANDLE

480  
hours

corrosion  
resistance

5  
year

finish  
guarantee

5  
year

mechanical  
guarantee




Right Hand  
Black



Left Hand  
Pewter

Right Hand  
Pewter



- Narrow backplate for use on slim profile windows.
- Supplied with a 7mm<sup>2</sup> x 40mm fixed spindle to fit all modern espagnolette locking mechanisms.
- Lockable by way of a grub screw with allen key provided.
- Supplied with M5 espag. bolts which can be cut down to size.
- Hand forged from mild steel using traditional blacksmith's methods - this gives unrivalled strength, weight and detail.

● 33984

(LEFT HANDED)  
BLACK

● 33983

(RIGHT HANDED)  
BLACK

● 33714

(LEFT HANDED)  
PEWTER

● 33713

(RIGHT HANDED)  
PEWTER

**480**  
hours  
corrosion  
resistance


**5**  
year  
finish  
guarantee

**5**  
year  
mechanical  
guarantee

## PEARDROP ESPAG. WINDOW HANDLE



- Narrow backplate for use on slim profile windows.
- Supplied with a 7mm<sup>2</sup> x 40mm fixed spindle to fit all modern espagnolette locking mechanisms.
- Lockable by way of a grub screw with allen key provided.
- Supplied with M5 espag. bolts which can be cut down to size.
- Hand forged from mild steel using traditional blacksmith's methods - this gives unrivalled strength, weight and detail.



**33976**  
(LEFT HANDED)  
BLACK

**33975**  
(RIGHT HANDED)  
BLACK

**33716**  
(LEFT HANDED)  
PEWTER

**33715**  
(RIGHT HANDED)  
PEWTER

# TEARDROP ESPAG. WINDOW HANDLE

480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee


5  
year  
mechanical  
guarantee



Black



Polished Chrome



- Narrow backplate for use on slim profile windows.
- Supplied with a 7mm<sup>2</sup> x 40mm fixed spindle to fit all modern espagnolette locking mechanisms.
- Lockable by way of a grub screw with allen key provided.
- Supplied with M5 espag. bolts which can be cut down to size.

● 20460

BLACK

● 20461

POLISHED  
BRASS

● 20462

POLISHED  
CHROME

● 20463

SATIN  
CHROME



480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee

## REEDED ESPAG. WINDOW HANDLE




Left Hand  
Aged Bronze

Left Hand  
Aged Brass



- Narrow backplate for use on slim profile windows.
- Supplied with a 7mm<sup>2</sup> x 40mm fixed spindle to fit all modern espagnolette locking mechanisms.
- Lockable by way of a grub screw with allen key provided.
- Supplied with M5 espag. bolts which can be cut down to size.
- Gravity cast from solid unlacquered brass or bronze.



83913

(LEFT HAND)  
AGED BRASS

83914

(LEFT HAND)  
POLISHED NICKEL

90332

(LEFT HAND)  
POLISHED CHROME

83972

(LEFT HAND)  
AGED BRONZE

83915

(RIGHT HAND)  
AGED BRASS

83916

(RIGHT HAND)  
POLISHED NICKEL

90331

(RIGHT HAND)  
POLISHED CHROME

83973

(RIGHT HAND)  
AGED BRONZE

# NEWBURY ESPAG. WINDOW HANDLE

480  
hours

corrosion  
resistance

5  
year

finish  
guarantee

5  
year


mechanical  
guarantee



Right Hand  
Aged Bronze



Right Hand  
Polished Nickel



- Narrow backplate for use on slim profile windows.
- Supplied with a 7mm<sup>2</sup> x 40mm fixed spindle to fit all modern espagnolette locking mechanisms.
- Lockable by way of a grub screw with allen key provided.
- Supplied with M5 espag. bolts which can be cut down to size.
- Gravity cast from solid unlacquered brass or bronze.



**91444**

(LEFT HAND)  
AGED BRASS



**91458**

(LEFT HAND)  
POLISHED NICKEL



**91451**

(LEFT HAND)  
POLISHED CHROME



**91465**

(LEFT HAND)  
AGED BRONZE



**91443**

(RIGHT HAND)  
AGED BRASS



**91457**

(RIGHT HAND)  
POLISHED NICKEL



**91450**

(RIGHT HAND)  
POLISHED CHROME



**91464**

(RIGHT HAND)  
AGED BRONZE

480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee

# HINTON ESPAG. WINDOW HANDLE




Left Hand  
Polished Chrome

Left Hand  
Aged Brass



- Narrow backplate for use on slim profile windows.
- Supplied with a 7mm<sup>2</sup> x 40mm fixed spindle to fit all modern espagnolette locking mechanisms.
- Lockable by way of a grub screw with allen key provided.
- Supplied with M5 espag. bolts which can be cut down to size.
- Gravity cast from solid unlacquered brass or bronze.



45350

(LEFT HAND)  
AGED BRASS

45354

(LEFT HAND)  
POLISHED NICKEL

45352

(LEFT HAND)  
POLISHED CHROME

45356

(LEFT HAND)  
AGED BRONZE

45349

(RIGHT HAND)  
AGED BRASS

45353


(RIGHT HAND)  
POLISHED NICKEL

45351

(RIGHT HAND)  
POLISHED CHROME

45355

(RIGHT HAND)  
AGED BRONZE









Hinton Window Stay - 45359  
Aged Brass - Page 50

## WINDOW STAYS

# BLACKSMITH AVON WINDOW STAYS

480

hours

corrosion resistance

5




year

finish guarantee

5

year

mechanical guarantee



- Narrow fixing plate for use on slim profile windows.
- Sold with matching wood screws.
- Supplied with standard stay pins – alternatives available on page 52 & 53.
- Hand forged from mild steel using traditional blacksmith's methods - this gives unrivalled strength, weight and detail.
- Designed to match our Avon Espags. on page 35.

<div>90399</div> <div>(8")</div> <div>BLACK</div>	<div>90402</div> <div>(10")</div> <div>BLACK</div>	<div>90405</div> <div>(12")</div> <div>BLACK</div>
<div>90400</div> <div>(8")</div> <div>PEWTER</div>	<div>90403</div> <div>(10")</div> <div>PEWTER</div>	<div>90406</div> <div>(12")</div> <div>PEWTER</div>



480  
hours

corrosion  
resistance

5  
year

finish  
guarantee

5  
year

mechanical  
guarantee

## PERIOD AVON WINDOW STAYS






Aged Brass 8"



Polished Nickel 10"



Polished Chrome 12"



- Narrow fixing plate for use on slim profile windows.
- Sold with matching wood screws.
- Supplied with standard stay pins – alternatives available on page 52 & 53.
- Hand forged from solid brass using traditional blacksmith's methods - this gives unrivalled strength, weight and detail.
- Designed to match our Avon Espags. on page 35.



90423

(8")  
AGED BRASS



90427

(10")  
AGED BRASS



90431

(12")  
AGED BRASS



90425

(8")  
POLISHED NICKEL



90429

(10")  
POLISHED NICKEL



90433

(12")  
POLISHED NICKEL



90424

(8")  
POLISHED CHROME



90428

(10")  
POLISHED CHROME



90432

(12")  
POLISHED CHROME

# MONKEYTAIL WINDOW STAYS

480

hours

corrosion resistance

5

year

finish guarantee


5

year

mechanical guarantee



- Narrow fixing plate for use on slim profile windows.
- Sold with matching wood screws.
- Supplied with offset stay pins for use on heavily moulded windows - dummy cranked pins available on page 53.
- Hand forged from mild steel using traditional blacksmith's methods - this gives unrivalled strength, weight and detail.
- Designed to match our Monkeytail Espags. on page 36.



<div>● 91549</div> <div>(8")</div> <div>BLACK</div>	<div>● 91403</div> <div>(10")</div> <div>BLACK</div>	<div>● 91553</div> <div>(12")</div> <div>BLACK</div>
<div>● 91551</div> <div>(8")</div> <div>PEWTER</div>	<div>● 91405</div> <div>(10")</div> <div>PEWTER</div>	<div>● 91555</div> <div>(12")</div> <div>PEWTER</div>

**480**  
hours  
corrosion  
resistance




**5**  
year  
finish  
guarantee







**5**  
year  
mechanical  
guarantee

## PEARDROP WINDOW STAYS



- Narrow fixing plate for use on slim profile windows.
- Sold with matching wood screws.
- Supplied with offset stay pins for use on heavily moulded windows - dummy cranked pins available on page 53.
- Hand forged from mild steel using traditional blacksmith's methods - this gives unrivalled strength, weight and detail.
- Designed to match our Peardrop Espags. on page 37.



 <b>91550</b> (8") BLACK	 <b>91404</b> (10") BLACK	 <b>91554</b> (12") BLACK
 <b>91552</b> (8") PEWTER	 <b>91406</b> (10") PEWTER	 <b>91556</b> (12") PEWTER






# REEDED WINDOW STAYS

480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee



Aged Brass 8"



Polished Nickel 10"



Polished Chrome 12"

- Narrow fixing plate for use on slim profile windows.
- Sold with matching wood screws.
- Supplied with standard stay pins – alternatives available on page 52 & 53.
- Gravity cast from solid unlacquered brass or bronze.
- Designed to match our Reeded Espags. on page 39.



83899

(8")  
AGED BRASS



83901

(10")  
AGED BRASS



83909

(12")  
AGED BRASS



83900

(8")  
POLISHED NICKEL



83902

(10")  
POLISHED NICKEL



83910

(12")  
POLISHED NICKEL



90333

(8")  
POLISHED CHROME



90334

(10")  
POLISHED CHROME



90335

(12")  
POLISHED CHROME



83968

(8")  
AGED BRONZE



83969

(10")  
AGED BRONZE



83970

(12")  
AGED BRONZE

480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee

## NEWBURY WINDOW STAYS






Aged Bronze 8"















Polished Chrome 10"



Aged Brass 12"



- Narrow fixing plate for use on slim profile windows.
- Sold with matching wood screws.
- Supplied with standard stay pins – alternatives available on page 52 & 53.
- Gravity cast from solid unlacquered brass or bronze.
- Designed to match our Newbury Espags. on page 40.

 <b>91445</b> (8") AGED BRASS	 <b>91446</b> (10") AGED BRASS	 <b>91447</b> (12") AGED BRASS	 <b>91459</b> (8") POLISHED NICKEL	 <b>91460</b> (10") POLISHED NICKEL	 <b>91461</b> (12") POLISHED NICKEL
 <b>91452</b> (8") POLISHED CHROME	 <b>91453</b> (10") POLISHED CHROME	 <b>91454</b> (12") POLISHED CHROME	 <b>91466</b> (8") AGED BRONZE	 <b>91467</b> (10") AGED BRONZE	 <b>91468</b> (12") AGED BRONZE

# HINTON WINDOW STAYS

480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee






Aged Bronze 8"



Polished Chrome 10"



Polished Nickel 12"



- Narrow fixing plate for use on slim profile windows.
- Sold with matching wood screws.
- Supplied with standard stay pins – alternatives available on page 52 & 53.
- Gravity cast from solid unlacquered brass or bronze.
- Designed to match our Hinton Espags. on page 41.



45359

(8")  
AGED BRASS



45360

(10")  
AGED BRASS



45361

(12")  
AGED BRASS



45365

(8")  
POLISHED NICKEL



45366

(10")  
POLISHED NICKEL



45367

(12")  
POLISHED NICKEL



45362

(8")  
POLISHED CHROME



45363

(10")  
POLISHED CHROME



45364

(12")  
POLISHED CHROME



45368

(8")  
AGED BRONZE



45369

(10")  
AGED BRONZE



45370

(12")  
AGED BRONZE



## ACCESSORIES

Reeded Window Stay - 83899  
Aged Brass - Page 48  
Cranked Stay Pins - 92038  
Aged Brass - Page 53

OFFSET STAY PINS

480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee




Pewter



Polished Chrome



Polished Nickel



- For use on heavily moulded windows where a standard stay pin will not fit.
- Sold in singles.
- Supplied with matching wood screws.

● 33459  
BLACK

● 33690  
PEWTER

● 33457  
POLISHED  
BRASS

● 92037  
AGED  
BRASS

● 90305  
POLISHED  
NICKEL

● 90306  
POLISHED  
CHROME


● 90307  
AGED  
BRONZE

480  
hours  
corrosion  
resistance


5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee

## CRANKED STAY PINS



- For use with dummy stays on flush casement windows.
- Sold in singles.
- Supplied with matching wood screws.



● 33460

BLACK

● 33614

PEWTER

● 33458

POLISHED  
BRASS

● 92038

AGED  
BRASS

● 92039

POLISHED  
NICKEL

● 92040

POLISHED  
CHROME


● 92041

AGED  
BRONZE

# 3" DUMMY BUTT HINGES



- Sold as singles.
- Supplied with matching SS wood screws.



 91906	 45436	 45441	 45438	 45440	 45439	 45442	 45437
BLACK	PEWTER	POLISHED BRASS	AGED BRASS	POLISHED NICKEL	POLISHED CHROME	SATIN CHROME	AGED BRONZE

## STANDARD SPLIT SPINDLE - 140MM



 33230R
BZP

## M5 MALE BOLTS - 120MM



 45469	 45470
BLACK	PEWTER

 45422	 45423	 45424
POLISHED BRASS	SATIN CHROME	DARK STAINLESS STEEL





480  
hours  
corrosion  
resistance

5  
year  
finish  
guarantee

5  
year  
mechanical  
guarantee

As with any ironmongery on today's market there are general maintenance tips that can be used to keep your products at their best. All of our finishes will last for many years to come but, as with anything, the more you look after it the better it looks!

Our products, especially when used externally, will require the occasional oiling of any moving parts so that they perform to their full capability. We recommend oiling prior to fitting and periodically afterwards.

To preserve the integrity of your chosen finish lightly oiling the surface as soon as you get or fit your product is recommended and will help prevent any build up of harmful deposits which can drastically shorten the lifespan. We recommend that ironmongery is also wiped with a lightly oiled cloth from time-to-time. This will help remove any build up on the surface and restore it to its original condition.

A 3-in-1 oil would be perfect for all oiling purposes.

All of our products have excellent anti-corrosion properties if maintained to the specific requirements of each individual finish and will last for many years if given just a little regular care.

Our brass and bronze finishes are unlacquered so they will naturally tarnish over time. If you prefer a highly polished look then some Brasso will restore them to a vibrant shine.

The chemicals in wet plaster & wet paint may rust our products as the moisture in a newly plastered room is very high. Only fit your new ironmongery when you have made sure that all new plaster is fully cured and paint has dried.

We do not recommend using our products in coastal areas as the salt content in the air may rust all finishes. Only stainless steel will not rust in this sort of environment and therefore our products cannot be guaranteed.

Do not use any form of chemical cleaner (e.g. oxalic acid) or aerosol spray as this can break down any finish or lacquer.



SPECIALIST MANUFACTURERS OF TRADITIONAL IRONMONGERY



---

[www.fromtheanvil.co.uk](http://www.fromtheanvil.co.uk)

---

33 Ddole Enterprise Park, Llandrindod Wells, Powys LD1 6DF.  
info@fromtheanvil.co.uk - Tel: 01597 823822 - Fax: 01597 823821